

Version: 1.0

Released: 2019-02-11 Revision Date: 2019-02-11

1. IDENTIFICATION OF THE SUBSTANCE / APPLICATION AND THE COMPANY

1.1 Product Identifier

Trade Name: Syn Chain Guard **Product Number:** 77908, 77920

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Product Use: Synthetic chain lubricant - aerosol

Restrictions on Use: None known

1.3 Details of the Supplier of the Safety Data Sheet

Manufacturer: Maxima Racing Oils

9266 Abraham Way Santee, CA 92071

USA

Information Phone Number: +1 619 449 5000 E-mail: +1 619 449 5000 info@maximausa.com

1.4 Emergency Telephone Number

Emergency Spill Information: CHEMTREC +1 703 527 3887 (24 hours)

2. HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

CLP (1272/2008) Classification:

Aerosol 1 (H222, H229) Skin Irritation Category 2 (H315)

Aquatic Chronic Category 2 (H411)

2.2 Label Elements

Danger



Hazard Statements	Precautionary Phrases
H222 Extremely flammable aerosol	P210 Keep away from heat, hot surfaces, sparks,
H229 Pressurised container: May burst if heated	open flames and other ignition sources. No
H315 Causes skin irritation	smoking.





Released: 2019-02-11

SYN CHAIN GUARD

Version: 1.0 Revision Date: 2019-02-11

H411 Toxic to aquatic life with long lasting effects	P211 Do not spray on an open flame or other
	ignition source.
	P251 Do not pierce or burn, even after use.
	P410 + P412 Protect from sunlight. Do not
	expose to temperatures exceeding 50°C.
	P264 Wash hands and arms thoroughly after
	handling.
	P273 Avoid release to the environment.
	P280 Wear protective gloves.
	P302 + P352 IF ON SKIN: Wash with soap and
	water.
	P332 + P313 If skin irritation occurs: Get medical
	attention.
	P362 + P364 Take off contaminated clothing and
	wash it before reuse.
	P501 Dispose of contents and container in
	accordance with local and national regulations.

2.3 Other Hazards: Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Chemical Name	CAS#	EINECS#	REACH	CLP Classification	% w/w
			registration#		
Heptane	142-82-5	205-563-8	-	Flammable Liquids 2 (H225) Aspiration Toxicity 1 (H304) Skin Irritation 2 (H315) Specific Target Organ Toxicity Single Exposure 3 (H336) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	10-20
Butene, homopolymer	9003-29-6	-	-	NC	20-40
Petroleum distillates ^L	72623-87-1	276-738-4	-	NC	10-30
Petroleum gases, liquefied, sweetened ^K	68476-86-8	270-705-8	-	Flammable Gases 1 (H220)	10-30



Version: 1.0

Released: 2019-02-11

Revision Date: 2019-02-11

Gas under pressure,
Liquefied Gas (H280)

Note K. The substance contains less than 0.1% w/w 1,3-butadiene (EC 203-450-8), and does not need to be classified as a carcinogen or mutagen.

Note L. The substance contains less than 3 % DMSO extract as measured by IP 346, and does not need to be classified as a carcinogen.

The exact percentage and composition are being withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

Eye: Flush eyes with water for several minutes. Remove contact lenses, if present and easy to do so. If eye irritation persists, get medical attention.

Skin: Wash skin with soap and water. Remove clothing and shoes if contaminated. Launder clothing before reuse. If irritation or rash develops, get medical attention.

Inhalation: If inhaled remove to fresh air. If irritation or difficulty in breathing occurs, get medical attention.

Ingestion: Flush eyes with water for several minutes. Remove contact lenses, if present and easy to do so. If eye irritation persists, get medical attention.

- **4.2 Most Important symptoms and effects, both acute and delayed:** May cause mild eye irritation. Causes skin irritation. Inhalation of vapours or mist may cause central nervous system effects such as headache, dizziness, drowsiness, nausea and unconsciousness. Swallowing may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
- **4.3 Indication of any immediate medical attention and special treatment needed:** As a general rule, and in all cases of doubt or when symptoms persist, always seek medical attention. Never give anything by mouth to an unconscious person.

SECTION 5: FIRE AND EXPLOSION DATA

5.1 Extinguishing Media: Use alcohol-resistant foam, dry chemical or carbon dioxide (CO2) to extinguish flames. Water may be ineffective but can be used to cool exposed containers and structures and disperse flammable vapours.

5.2 Special Hazards Arising from the Substance or Mixture

Unusual Fire and Explosion Hazards: Contents under pressure. Keep away from heat and open flames. Container may rupture or explode in the heat of a fire. Prolonged exposure to temperatures above 50°C may cause cans to burst.

Combustion Products: Combustion will produce carbon oxides and unidentified organic compounds.



Version: 1.0

Released: 2019-02-11 Revision Date: 2019-02-11

5.3 Advice for Fire-Fighters:

Special Fire Fighting Procedures: Firefighters should wear full emergency equipment and an approved positive pressure self-contained breathing apparatus. Cool exposed intact containers with water. Protect against bursting cans.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Evacuate spill area and keep unprotected personnel away. Remove all sources of ignition. Ventilate area with explosion proof equipment. Wear appropriate protective equipment. Wash thoroughly after handling. See also: "Personal Protection "section 8.

6.2 Environmental Precautions:

Avoid release into the environment. Report spill as required by local and national regulations.

6.3 Methods and Material for Containment and Cleaning Up:

Contain and collect using inert absorbent materials and place in appropriate containers for disposal. Use non-sparking tools and equipment. If spill has not ignited, use water spray to disperse the vapours and protect personnel attempting to stop leak. Ensure collected material is handled in accordance with section 13 "Disposal Considerations".

6.4 Reference to Other Sections: Refer to Section 8 for personal protective equipment and Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

- **7.1 Precautions for Safe Handling**: Avoid contact with eyes, skin and clothing. Avoid breathing vapours and mists. Wear protective clothing and equipment. Use only with adequate ventilation. Wash thoroughly with soap and water after handling. Keep away from heat, sparks, flames and all other sources of ignition. Contents under pressure. Do not permit smoking in use or storage areas. Do not expose to temperatures above 50°C. Do not puncture or incinerate containers.
- **7.2 Conditions for Safe Storage, Including any Incompatibilities**: Store in a cool, dry, well-ventilated area away from heat, direct sunlight and all sources of ignition. Store in accordance with regulations for the storage of aerosol containers. Store away from oxidisers and other incompatible materials. Protect from physical damage.
- **7.3 Specific end use(s):** The product is to be used as a chain lubricant. Contact with the eyes and skin should be prevented due to the risk of irritation. If inhalation of high concentrations of vapours and mists cannot be prevented appropriate personal protective equipment should be used.



Version: 1.0

Released: 2019-02-11 Revision Date: 2019-02-11

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters: Refer to country-specific legislation for specific requirements where not listed below.

Chemical Name	Exposure Limits
Heptane	500 ppm (2085 mg/m³) TWA EH40/2005
Petroleum distillates	5 mg/m³ TWA OSHA PEL 5 mg/m³ TWA ACGIH TLV 10 mg/m³ TWA ACGIH TLV-STEL
Petroleum gases, liquefied, sweetened	None Established
Butene, homopolymer	None Established

8.2 Exposure Controls:

Appropriate Engineering Controls: Use with adequate local exhaust ventilation to minimise exposure. Use explosion proof equipment where required.

Respiratory Protection: If the exposure is excessive or irritation is experienced, an approved particulate/organic vapour respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with local regulations and good industrial hygiene practice.

Skin Protection: Wear impervious gloves in accordance with EN 374 to avoid skin contact. Protective clothing if needed to avoid skin contact and contamination of personal clothing. Suitable washing should be available in the work area. Contaminated clothing should be removed and laundered before re-use.

Eye Protection: Wear chemical goggles in accordance with EN 166 to prevent eye contact. **Other Protective Equipment:** None should be needed under normal use conditions. In Europe follow EN 13034.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic Physical and Chemical Properties

Appearance Liquid Colour Clear

Odour Characteristic odour
Odour Threshold No data available
pH No data available
Freezing Point No data available

Boiling Point 94°C Flash Point -9°C

Evaporation Rate No data available Flammability (solid, gas) No data available





Version: 1.0

Revision Date: 2019-02-11

Released: 2019-02-11
Upper Explosion Limit
Lower Explosion Limit
Vapour Pressure
No data available
No data available

Vapour Pressure
Vapour Density (Air=1)
Relative Density
Solubility
Partition Coefficient: nNo data available
No data available
No data available
No data available

octanol/water

Auto Ignition No data available

Temperature

Decomposition No data available

Temperature

Volatile Organic No data available

Compounds (VOC)

Viscosity > 20.5 cSt @ 40°C

9.2 Other Information: None available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity: Not expected to be reactive

10.2 Chemical Stability: Stable

10.3 Possibility of Hazardous Reactions: Vapours may form explosive mixture with air.

10.4 Conditions to Avoid: Keep away from heat, sparks, flames and all other sources of ignition. Dropping containers may cause bursting.

10.5 Incompatible Materials: Avoid contact with strong oxidising agents.

10.6 Hazardous Decomposition Products: Thermal decomposition may produce carbon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Potential Health Effects:

Eye Contact: May cause mild irritation.

Skin Contact: Causes skin irritation with non-allergic dermatitis.

Inhalation: Excessive inhalation of vapours or mist may cause central nervous system effects such as

headache, dizziness, drowsiness, nausea and unconsciousness.

Ingestion: Swallowing large amounts may cause gastrointestinal effects including nausea and

diarrhea.





Version: 1.0

Released: 2019-02-11 Revision Date: 2019-02-11

Chronic Effects of Overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals.

Acute Toxicity Values:

Butene, homopolymer: Oral rat LD50 >2000 mg/kg, Inhalation rat LC50 4185 ppm, 4 h, Dermal rat LD50 >2000 mg/kg

Petroleum Distillates (CAS 72623-87-1): Oral rat LD50 >5000 mg/kg, Inhalation rat LC50 >5.5 mg/L/4 h (mist), Dermal rabbit LD50 >2000 mg/kg

Heptane: Oral rat LD50 >5840 mg/kg, Inhalation rat LC50 23.3 mg/L/4 h, Dermal rabbit LD50 >2920 mg/kg

Skin corrosion/irritation: Product is classified as a skin irritant.

Eye damage/irritation: The product does not meet the criteria to be classified as an eye irritant.

Respiratory Irritation: The product does not meet the criteria to be classified as a respiratory irritant.

Respiratory Sensitization: The product does not contain any components that are respiratory sensitisers.

Skin Sensitization: The product does not contain any components that are skin sensitisers.

Germ Cell Mutagenicity: The product does not contain any components that are germ cell mutagens.

Carcinogenicity: None of the components of this product present at 0.1% or greater are listed as carcinogens by IARC, NTP or the EU CLP.

Reproductive Toxicity: This product is not expected to cause reproductive or developmental effects.

Specific Target Organ Toxicity:

Single Exposure: No data available

Repeat Exposure: No data available

Aspiration Hazard: This product does not meet the criteria of an aspiration hazard as the kinematic viscosity is above 20.5 cSt @ 40°C.



Version: 1.0

Released: 2019-02-11 Revision Date: 2019-02-11

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Heptane: 96 h LC50 Oncorhynchus mykiss >13.4 mg/L, 48 h EC50 Daphnia magna 3 mg/L, 72 h NOELR Pseudokirchneriella subcapitata 10 mg/L

Petroleum Distillates (CAS 72623-87-1): 96 h LL50 fish >100 mg/L, 24-48 h EL50 aquatic invertebrates > 10000 mg/L, 72 h NOEL algae $\geq 100 \text{ mg/L}$

12.2 Persistence and Degradability

Heptane is readily biodegradable (98%, 28 d).

Petroleum Distillates (CAS 72623-87-1) are non-rapidly biodegradable (OECD TG 301 B).

12.3 Bioaccumulative Potential

Heptane has a calculated BCF of > 500 which suggests a potential for bioaccumulation. Petroleum Distillates (CAS 72623-87-1) have a log Kow of > 6 which suggests a potential for bioaccumulation.

12.4 Mobility in Soil

Heptane: Highly volatile, will partition rapidly to air. Not expected to partition to sediment and wastewater solids.

Petroleum Distillates (CAS 72623-87-1): Insoluble in water. Mainly non-volatile. Product can penetrate soil until reaching the surface of ground water. The product contains substances which are bound to particulate matter and are retained in soil.

12.5 Results of PBT and vPvB Assessment: Components do not meet the criteria of PBT or vPvB.

12.6 Other Adverse Effects: None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Dispose in accordance with all local and national regulations.

SECTION 14: TRANSPORTATION INFORMATION

	14.1 UN	14.2 UN Proper	14.3	14.4	14.5
	Number	Shipping Name	Hazard	Packing	Environmental
			Class(s)	Group	Hazards
EU ADR/RID	1950	Aerosols, flammable	2.1 (5F)	-	Yes
IMDG	1950	Aerosols	2.1	-	Yes, Marine
					Pollutant
IATA/ICAO	1950	Aerosols	2.1	-	Yes



Version: 1.0

Released: 2019-02-11 Revision Date: 2019-02-11

14.6 Special Precautions for User: Not applicable

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code: Not applicable – product

is transported only in packaged form

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environment Regulations/Legislation Specific for the Substance or Mixture:

This SDS conforms to Regulation (EU) No. 1907/2006 and 2015/830. Label in accordance with Regulation (EC) No. 1272/2008 (CLP).

SECTION 16: OTHER INFORMATION

Supersedes: None

Date Updated: 11 February, 2019 **Revision Summary:** New document.

CLP Classification for Reference (See Sections 2 and 3):

Aerosol 1, Aerosol Category 1

Flam. Gas. 1 Flammable Gases Category 1 Flam. Liq. 2 Flammable Liquids Category 2

Gas under pressure: Liquefied gas

Asp. Tox. 1 Aspiration Toxicity Category 1 Skin Irrit. 2 Skin Irritation Category 2

STOT SE 3 Specific Target Organ Toxicity Single Exposure Category 3

Aquatic Acute 1 Aquatic Acute Category 1 Aquatic Chronic 1 Aquatic Chronic Category 1 Aquatic Chronic 2 Aquatic Chronic Category 2

H220 Extremely flammable gas

H222 Extremely flammable aerosol

H225 Highly flammable liquid and vapour

H229 Pressurised container: may burst if heated

H280 Contains gas under pressure; may explode if heated

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H336 May cause drowsiness or dizziness

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

NC Not classified

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest 9 of 10

SAFETY DATA SHEET Page 10 of 10



SYN CHAIN GUARD

Version: 1.0

Released: 2019-02-11 Revision Date: 2019-02-11

modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.